## **CLAIMS**

- 1. (Original) A food package comprising:
  - a first thin film forming the product side of a wall of the food package, said first thin film comprising a sealant layer in contact with food in the food package, said sealant layer comprising polypropylene, no more than 2.5 percent by weight polycthylene, and no more than 1 percent by weight polybutene;
    - a second thin film to which said first thin film is laminated; and a third thin film laminated to said second thin film.
- (Original) The food package of Claim 1 wherein said scalant layer consists essentially of polypropylene and polyethylene.
- (Original) The food package of Claim 1 wherein said sealant layer consists essentially of polypropylene and polybutene.
- (Original) The food package of Claim 1 wherein said third thin film forms an outside wall of the food package.

- 5. (Currently Amended) A food package comprising:
  - a first thin film forming the product side of a wall of the food package, said first thin film comprising a sealant layer in contact with food in the food package, said sealant layer comprising at least 93% polypropylene and one other polymer constituent, wherein said other polymer constituent is polyethylene or polybutene;
    - a second thin film to which said first thin film is laminated; and a third thin film laminated to said second thin film.
- 6. (Original) The food package of Claim 5 wherein said sealant layer comprises no more than 2.5 percent by weight polyethylene.
- 7. (Original) The food package of Claim 5 wherein said sealant layer comprises no more than 1 percent by weight polybutene.
- (Original) The food package of Claim 5 wherein said third film forms on outside wall of the food package.

## 9. (Original) A food package comprising:

a sealant layer in contact with food inside said package, said sealant layer consisting essentially of polypropylene and a melting point depressing polymer component, wherein said melting point depressing polymer component is one of (i) polybutene, (ii) polyethylene, (iii) about 5 percent by layer weight polyethylene and less than 1 percent by layer weight polybutene, or (iv) about 2 percent by layer weight polybutene and less than 2.5 percent by layer weight polyethylene.